

Model for Optical Properties of NbTiN Thin Films Considering Quantum Corrections to Conductivity

Samuel Kern^{1, a)}, Pavol Neilinger^{1, 2}, Martin Baránek¹, Mátyás Kocsis^{3, 4}, Gergő Fülöp^{3, 4}, and Miroslav Grajcar^{1, 2}

¹*Department of Experimental Physics, Comenius University, SK-84248 Bratislava, Slovak Republic*

²*Institute of Physics, Slovak Academy of Sciences, Dúbravská cesta, 84511 Bratislava, Slovak Republic*

³*Institute of Physics, Budapest University of Technology and Economics, Műegyetem rkp. 3., H-1111 Budapest, Hungary*

⁴*MTA-BME Superconducting Nanoelectronics Momentum Research Group, Műegyetem rkp. 3., H-1111 Budapest, Hungary*

^{a)} Corresponding author: samuel.kern@fmph.uniba.sk

Abstract. The optical properties of disordered ultra-thin NbTiN films are studied by means of spectroscopic ellipsometry. Drude-Lorentz model modified by quantum corrections describes the obtained optical conductivities well, including double plasmon behaviour and their transport properties.

ACKNOWLEDGMENTS

This work was supported by the Slovak Research and Development Agency under the contracts APVV-20-0425 and by the QuantERA grant SiUCs.

This research was also supported by the Ministry of Culture and Innovation and the National Research, Development and Innovation Office within the Quantum Information National Laboratory of Hungary (Grant No. 2022-2.1.1-NL-2022-00004), by the FET Open AndQC and SuperGate networks.